



1522
Fiber Glass Fabric
Product Data

STYLE 1522 **US System** **SI Units**

Type of Yarns	Warp Yarn:	ECG 150 1/2	EC9 33 x2
	Fill Yarn:	ECG 150 1/2	EC9 33 x2
Fabric Weight, Dry		3.67 oz/yd ²	124 g/m ²
Weave Style	Plain		

CONSTRUCTION

Nominal Construction	Warp Count:	24/in	9.4/cm
	Fill Count:	22/in	8.7/cm
Fabric Thickness		4.8 mils	0.12 mm
Yarn Breaking Strength	Warp	130 lbf/in	114 daN/5cm
	Filling	120 lbf/in	105 daN/5cm

Markets

Recreational

Applications

Low Pressure Composites

IMPORTANT

All information is believed to be accurate but is given without acceptance of liability. All values have been generated from limited data. The values listed for weight, thickness, and breaking strengths are typical greige values, unless otherwise noted. Users should make their own assessment of the suitability of any product for the purpose required. All sales are made subject to our standard terms of sales which include limitations on liability and other important terms. The fabric style listed may not be available from inventory, and minimum order quantities may apply.

FOR FURTHER INFORMATION, PLEASE CONTACT US



2200 S. Murray Ave.
Anderson, SC 29622
USA
Phone: 864-225-7028
Fax: 864-260-6581



7533
Fiber Glass Fabric
Product Data

STYLE 7533 **US System** **SI Units**

Type of Yarns	Warp Yarn:	ECG 75 1/2	EC9 68 x2
	Fill Yarn:	ECG 75 1/2	EC9 68 x2
Fabric Weight, Dry		5.85 oz/yd ²	198 g/m ²
Weave Style	Plain		

CONSTRUCTION

Nominal Construction	Warp Count:	18/in	7.1/cm
	Fill Count:	18/in	7.1/cm
Fabric Thickness		8.0 mils	0.20 mm
Yarn Breaking Strength	Warp	220 lbf/in	193 daN/5cm
	Filling	220 lbf/in	193 daN/5cm

Markets

Recreational

Applications

Low Pressure Composites

IMPORTANT

All information is believed to be accurate but is given without acceptance of liability. All values have been generated from limited data. The values listed for weight, thickness, and breaking strengths are typical greige values, unless otherwise noted. Users should make their own assessment of the suitability of any product for the purpose required. All sales are made subject to our standard terms of sales which include limitations on liability and other important terms. The fabric style listed may not be available from inventory, and minimum order quantities may apply.

FOR FURTHER INFORMATION, PLEASE CONTACT US



2200 S. Murray Ave.
Anderson, SC 29622
USA
Phone: 864-225-7028
Fax: 864-260-6581